Application No.: 10/573,785 Docket No.: 4590-503

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

## Listing of Claims:

## 1-9 (Canceled)

- 10. (Previously presented): An energy storage device comprising n storage elements arranged in a series network, said network able to provide a continuous voltage across its terminals, and n(n-1)/2 identical charge transfer modules, each module pairing two storage elements of the said network and ensuring a bidirectional transfer of charge between these two storage elements, and each storage element ( $C_k$ ) being paired with each of the other n-1 storage elements of the network by (n-1) associated modules.
- 11. (Previously presented): An energy storage device as claimed in claim 10, wherein said modules are of the three-pole or four-pole type depending on whether the elements that they pair are adiacent or nonadiacent.
- 12. (Previously presented): An energy storage device comprising n storage elements arranged in a series network, in which  $n=2^m$ , said network able to provide a continuous voltage across its terminals, and n-1 charge transfer modules, each module pairing two storage elements of the said network and ensuring a bidirectional transfer of charge between these two storage elements of the said network, and in which  $n=2^m$ , wherein the said n-1 modules are of three-pole type, and are distributed as m-1 groups of rank 0 to m-1, such that to the group of rank i there corresponds  $2^l$  modules, each associated with  $n/2^l$  elements arranged as two assemblies so as to form a pair, the modules of the said group of rank i  $\neq 0$  being dimensioned so as to have a gain in current  $2^l$  times as large as the gain in current of the module of the group of rank 0.

Application No.: 10/573,785 Docket No.: 4590-503

13. (Currently amended): An energy storage device comprising n storage elements arranged in a series network, in which  $n=2^m-x$ , said network able to provide a continuous voltage across its terminals, and I charge transfer modules, each module pairing two storage elements of the said network and ensuring a bidirectional transfer of charge between these two storage elements, and, wherein said I of modules are of three-pole type, with  $n-1-x<l\le n-1$  modules, and are distributed as [[m-1]]  $\underline{m}$  groups of rank 0 to m-1, such that to the group of rank i there corresponds at most  $2^m$  modules, each associated with  $n/2^m$  elements arranged as two assemblies so as to form a pair, the modules of the said group of rank i  $\neq 0$  being dimensioned so as to have a gain in current  $2^m$  times as large as the gain in current of the module of the group of rank 0.

- 14. (Previously presented): An energy storage device as claimed in claim 10, wherein the charge transfer between a storage element and the storage elements which are paired with manifests itself by a charging or discharging current of these paired elements proportional to first order to the difference between the voltage at the terminals of the said element and the average of the voltages at the terminals of the said storage elements paired with.
- 15. (Previously presented): An energy storage device as claimed in claim 12, wherein the charge transfer between a storage element and the storage elements which are paired with manifests itself by a charging or discharging current of these paired elements proportional to first order to the difference between the voltage at the terminals of the said element and the average of the voltages at the terminals of the said storage elements paired with.
- 16. (Previously presented): An energy storage device as claimed in claim 13, wherein the charge transfer between a storage element and the storage elements which are paired with manifests itself by a charging or discharging current of these paired elements proportional to first order to the difference between the voltage at the terminals of the said element and the average of the voltages at the terminals of the said storage elements paired with.
- 17. (Previously presented): The device as claimed in claim 10, wherein said storage elements are electrochemical battery cells, cells of lithium-ion battery type or supercapacitors.

Application No.: 10/573,785 Docket No.: 4590-503

18. (Previously presented): The device as claimed in claim 12, wherein said storage elements are electrochemical battery cells, cells of lithium-ion battery type or supercapacitors.

- (Previously presented): The device as claimed in claim 13, wherein said storage elements are electrochemical battery cells, cells of lithium-ion battery type or supercapacitors.
- (Previously presented): An electronic system comprising a charger and an energy storage device as claimed in claim 10, said energy storage device being rechargeable by the said charger.
- (Previously presented): The device as claimed in claim 12, wherein said storage elements are electrochemical battery cells, cells of lithium-ion battery type or supercapacitors.
- (Previously presented): The device as claimed in claim 13, wherein said storage elements are electrochemical battery cells, cells of lithium-ion battery type or supercapacitors.